

<b>Engine</b>	KIPOR 186F1E
<b>Net Power</b>	5.7 kW @ 3,000 rpm
<b>Vibration Frequency Range</b>	55 Hz
<b>Centrifugal Force Range</b>	30 kN
<b>Working Width</b>	750 mm
<b>Operating Weight</b>	860 kg

# 6009

ROLLER



TOUGH WORLD. TOUGH EQUIPMENT.

# 6009 SPECIFICATIONS >>>

ENGINE	
Emission Regulation	Tier II
Make	KIPOR
Model	186F1E
Gross Power	5.7 kW @ 3,600 rpm
	6.6 kW @ 3,600 rpm
Peak Torque	18.7 N · m
Number of Cylinders	1
Aspiration	natural
Cooling Type	air-cooled
ELECTRICAL SYSTEM	
System Voltage	12 V
DRIVE TRAIN	
Transmission Type	hydrostatic
Maximum Speed, fwd	3.6 km/h
BRAKES	
Service Brake Type	hydraulic
Service Brake Actuation	hydraulic
Parking Brake Actuation	mechanical apply; hydraulic release

PERFORMANCE	
Static Linear Front Drum Load	52 N/CM
Number of Vibrating Drums	2
Nominal Amplitude Range	0.35 mm
Vibration Frequency Range	55 Hz
Centrifugal Force Range	30 kN
Number of Amplitude Settings	2
OPERATING WEIGHTS	
Operating Weight	860 kg
Weight on Front Drum	400 kg
Weight on Tires	460 kg
SERVICE CAPACITIES	
Fuel Tank	5.5 L
Engine Oil	1.65 L

